

RECO PET (リコペット)

TYPE	COUNT	COMPOSITION
E6112	1/60	RECYCLED POLYESTER100%

素材説明

RECO PETは、回収された使用済みPETボトルを原料として、マテリアルリサイクル工程で生産されたポリエステル繊維を使用しております。

石油資源を有効活用し、環境負荷低減へのソリューションを提供致します。

また、全て日本国内で染色しており、JIS規格に基づき染色堅牢度を検査・管理しております。

【ATTENTION】

- ・染料メーカー様に対する環境規制等で、染料が変更された場合に多少色差が生じることがあります。
- ・品質に関しましては厳密に管理しておりますが、染色ロット間の微妙な色差が発生しますのでご了承ください。
- ・汚れを取り除く場合、除去剤に含有する成分によって色落ちする危険性がありますので、事前にご確認の上、ご使用をお願い致します。
- ・高温加熱処理をする場合は、各堅牢度の低下に十分ご注意ください。変色・移染する可能性があります。
- ・保管上の取り扱いについて、高温・多湿な環境はなるべく避けてください。長期保管されますと堅牢度が低下する恐れがありますので、ご注意ください。

MATERIAL DESCRIPTION

RECO PET uses polyester fibers produced in the material recycling process from the collected used PET bottles as raw materials.

We provide solutions to reduce environmental impact by effectively utilizing petroleum resources.

In addition, all dyeing is done in Japan, and the dyeing fastness is inspected and managed based on JIS standards.

【ATTENTION】

Due to environmental regulations for dye manufacturers, there may be some color differences when the dye is changed.

We strictly control the quality, but please note that there may be slight color differences between dyeing lots.

When removing stains, there is a risk of discoloration due to the components contained in the remover, so please check in advance before use.

When performing high-temperature heat treatment, pay sufficient attention to the decrease in each fastness. There is a possibility of discoloration and dye transfer.

Regarding storage handling, avoid high temperature and high humidity environment as much as possible. Please note that the robustness may decrease if stored for a long period of time.

